

# RHIMEX.com


Profiles of rubber, sponge rubber,  
silicone, foam silicone

## **angle profiles**

# AP

# Solid rubber

## Legend



9999

means

Profile-No.

EP / s / 9999 / (9998)

means Quality / Colour / Article-No. / (Article-No. with sa)

sa = self adhesive


### Quality

CR	Neoprene
EP	EPDM
NBR	Perbunan
NK	Natural rubber
Si	Silicone
SPS	Foam silicone
FPM	VITON®
PVC	Soft-PVC
EVA	Ethylenvinylacetat
SBR	Buna (Styrol-Butadien)
-FR	fire resistant


### Colours

s	black
g	grey
w	white
az	anthracite
bg	beige
br	brown
hg	light-grey
rb	red-brown
t	translucent
r	red
x	colour selectable


® = Entered registered trade mark of the company DuPont




249  
EP/s/ 1739




334  
EP/s/ 1740




344  
EP/s/ 1741




500  
EP/s/ 1744




626  
EP/s/ 2078




660  
EP/s/ 1745




677  
EP/s/ 2079




678  
SBR/s/ 2080




682  
EP/s/ 2081




683  
EP/s/ 2082




684  
NBR/s/2083




685  
EP/s/ 4058  
NK/w/2084




686  
EP/s/ 2085




687  
CR/s/2086




688  
EP/s/ 2087/(4870)




691  
EP/s/ 2905/(5098)




747  
EP/s/ 2194




776  
EP/s/ 2444




823  
EP/s/ 2672




908  
EP/s/3088




911  
EP/s/ 3092




1072  
Si/g/ 3497




1186  
EP/s/ 1743




1197  
EP/s/ 1742




1509  
EP/s/ 4696




1691  
EP/s/ 5762




1747  
EP/s/ 5988




1791  
Si/I/ 6088




1798  
EP/s/ 6108




1855  
EP/s/ 6448




1863  
EP/s/ 6544




1895  
Si/I/ 6590




1901  
Si/s/ 6622




1963  
EP/s/ 6871




1994  
EP/s/ 6975



1996  
EP/s/ 6974




2059  
EP/s/ 7158




2067

NR/SBR/s/ 7168




2170

EP/s/ 7620






2267


EP/s/ 7941



2201

EP/s/ 7679






2440  
EP/s/7406

# Sponge rubber

## Legend



25999

means

Profile-No.

EP / s / 9999 / (9998)

means

Quality / Colour / Article-No. / (Article-No. with sa)

sa = self adhesive

### Quality


CR	Neoprene
EP	EPDM
NBR	Perbunan
NK	Natural rubber
Si	Silicone
SPS	Foam silicone
FPM	VITON®
PVC	Soft-PVC
EVA	Ethylenvinylacetat
SBR	Buna (Styrol-Butadien)
-FR	fire resistant

### Colours


s	black
g	grey
w	white
az	anthracite
bg	beige
br	brown
hg	light-grey
rb	red-brown
t	translucent
r	red
x	colour selectable

® = Entered registered trade mark of the company DuPont


# Sponge rubber




25018  
EP/s/ 0278




25041  
EP/s/ 0300




25064  
EP/s/ 0320




25148  
EP/s/ 0401




25151  
EP/s/ 0404




25163  
EP/s/ 1260/(4394)




25193  
EP/s/ 2067




25244  
EP/s/ 2998




25259  
EP/s/ 3068




25276  
CR/g/ 3255  
CR/rb/ 4136




25321  
CR/s/ 3589



25331  
EP/g/ 3650




25332  
EP/s/ 3656




25363  
CR-FR/s/ 3872

# Sponge rubber




25586

CR/s/ 5091




25587

CR/s/ 5092




25637

EP/s/ 4588




25652

EP/g/ 4742



25783

EP/s/ 7555



25802

EP/s/ 8253